

**IN THE CLAIMS:**

*Please amend the claims as follows:*

1. (currently amended) A method comprising:
  - ~~automatically tracing~~detecting a latest operation relating to a source application ~~of at least one source application using a tracing application,~~  
wherein said source application and said tracing application are located on a device,
  - ~~automatically tracing an item relating to said operation from the source application by means of a tracing application being common for all of said at least one source application right after said operation has occurred,~~
  - extracting at least one item from said operation,
  - recording said item automatically into a list of traced and recorded items in a file of the tracing application, said list comprising traced and recorded items from various source applications, wherein said file comprises items of different media types and said file is located on said device,
  - calling said file by ~~at the~~ target application, located on said device, and
  - selecting and pasting said one or more items to said target application.
2. (original) The method according to claim 1, wherein the item is selected from the file by means of a clipboard.
3. (original) The method according to claim 1, wherein more than one operations are traced and recorded.
4. (canceled)

5. (original) The method according to claim 1, wherein the file is a log file.
6. (original) The method according to claim 1, wherein at least one of the following operations: handling, receiving, sending, downloading, creating, deleting, is traced.
7. (original) The method according to claim 6, wherein said item is a content of the operation or a property of the operation.
8. (original) The method according to claim 1, wherein the source application and the target application are located within one application program.
9. (original) The method according to claim 1, wherein the source application and the target application are located in different application programs.
10. (original) The method according to claim 1, wherein the source application and the target application are located in different devices.
11. (original) The method according to claim 1, wherein said file is shared between application programs of a computing device.
12. (previously presented) The method according to claim 1, wherein a media type of the item is identified.
13. (previously presented) The method according to claim 12, wherein said media type belongs to one of the following groups: image, audio, video, text, uniform resource location, phonebook entry, music, calendar event, wallet and error message.
14. (previously presented) The method according to claim 12, wherein said media type is used for classifying the item.

15. (currently amended) A device comprising:

- ~~at least one~~ source application and a target application and a tracing application ~~being common to all of said at least one source application~~, said device-tracing application being configured to:
- ~~detect~~ automatically trace a latest operation relating to the source application,
- ~~wherein~~
- ~~the tracing application is configured~~
- extract at least one item from said operation, and to trace an item relating to said operation from the source application automatically right after said operation has occurred,
- ~~to extract at least one item from said operation,~~
- ~~to~~ record automatically said item into a list of traced and recorded items in a file of the tracing application, said list comprising traced and recorded items from various source applications, wherein said file comprises items of different media types and said file is located on said device, wherein
- ~~said file is configured to receive an access command~~ a call from the target application, and to present listed items from the file for selecting one or more items to be pasted to said target application.

16. (original) The device according to claim 15, wherein one or many item from the file is selected to be accessed by the target application.

17. (canceled)

18. (original) The device according to claim 15, wherein the file is a log file.

19. (previously presented) The device according to claim 15, also configured for at least one of the following operations: messaging, calling, imaging, browsing, using application programs and selecting.
20. (previously presented) The device according to claim 19, wherein said extracting is configured to extract the item from a content of the operation or from a property of the operation.
21. (original) The device according to claim 15, wherein the source application and the target application are located within one application program.
22. (original) The device according to claim 15, wherein the source application and the target application are located in different application programs.
23. (previously presented) The device according to claim 15, configured to exchange data with another device.
24. (previously presented) The device according to claim 15, further configured to identify a media type of the item.
25. (previously presented) The device according to claim 24, further configured to classify the item based on its media type.
26. (original) The device according to claim 15, wherein said operation is implemented without user action.
27. (previously presented) The device according to claim 15, further configured for manual copying.

28. (previously presented) The device according to claim 15, further configured for mobile communication.
29. (original) A system for implementing the method of claim 1.
30. (currently amended) A computer-readable storage medium, encoded with instructions that, when executed by a computer, perform:
- ~~detecting automatically tracing a latest operation relating to a source application using a tracing application, wherein said source application and said tracing application are located on a device,~~
  - ~~tracing automatically an item relating to said operation from the source application by means of a tracing application being common for all of at least one source application right after said operation has occurred,~~
  - extracting at least one item from said operation,
  - ~~automatically~~ recording said item automatically into a list of traced and recorded items in a file of the tracing application, said list comprising traced and recorded items from various source applications, wherein said file comprises items of different media types and said file is located on said device
  - calling said file by a target application, located on the device, ~~for and~~
  - ~~selecting from the list one or more items to be and~~ pasting said one or more items to said target application.

31. (canceled)

32. (canceled)

33. (previously presented) The method according to claim 1, further comprising: calling said file by the target application; selecting and pasting the item to said target application.
34. (previously presented) The method according to claim 1, wherein a media type of said item belongs to one of the following groups: image, audio, video.
35. (previously presented) The method according to claim 1, wherein said target application is a multimedia messaging service message.
36. (previously presented) The method according to claim 1, wherein the method further comprises presenting said item in a list utilizing a check-box feature for selecting.
37. (canceled)
38. (previously presented) The method according to claim 1, wherein said operation is a phone call and said item is a phone number; or said operation is a camera shot and said item is an image; or said operation is a site downloaded from a network and said item is the URL of the site.
39. (canceled)